## **DECLARATION OF PERFORMANCE**

## **Thistle Standard Finish Coat Plasters**

PLAST101

1. Unique identification code of the product-type:

**Thistle Standard Finish Coat Plasters** 

Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

Thistle MultiFinish
Type B1/20/2

Thistle BoardFinish
Type B1/20/2

Thistle SprayFinish
Type B7/50/6

2. Intended use/es:

Gypsum plaster for internal wall linings (Finish coat for two-coat plaster systems or skim finish for dry linings)

3. Manufacturer:

British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX

Tel: +44 (0) 115 945 1000

4. Authorised representative:

N/A

5. System/s of AVCP:

System 4 generally System 3 Reaction to Fire

6a. Harmonised standard:

EN 13279-1: 2008

Notified body/ies:

The Building Test Centre, notified body No. 1575 issued reports relating to System 3 classification requirements for reaction to fire



ob. European Assessment Document.	N/A
European Technical Assessment:	
Technical Assessment Body:	N/A
- -	N/A
Notified body/ies:	N/A

## 7. Declared performance/s:

The characteristics in the table below apply to all products mentioned in 2 above.

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire (R2F)	A1	EN 13279-1: 2008
Thermal conductivity (λ)	0.51 W/mK (Thistle BoardFinish, Thistle SprayFinish)	EN 13279-1: 2008
	0.56 W/mK (Thistle MultiFinish)	EN 13279-1: 2008
Thermal Resistance (TR)	0.004 m <sup>2</sup> K/W	EN 13279-1: 2008
Direct airborne sound resistance	NPD	EN 13279-1: 2008

## 8. Appropriate Technical Documentation and / or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Mike Challes

Mike Chaldecott, Managing Director British Gypsum

East Leake 22/01/2018

(Signature) (Place and date of issue)



