DECLARATION OF PERFORMANCE

Thistle Undercoat Plaster range

1. Unique identification code of the product-type:

PLAST100

Type C3/20

		Thistle Undercoat Plaster range
Type, batch or serial number or	·	entification of the construction
product as required pursuant to	Article 11(4):	
Thistle BondingCoat	Thistle HardWall	Thistle ToughCoat

Type B4/20/2 and C3/20

2. Intended use/es:

Type B4/20/2 and C3/20

Gypsum plaster for internal wall linings (base coat)

3. Manufacturer:

British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX Tel: +44 (0) 115 945 1000

4. Authorised representative:

N/A

5. System/s of AVCP:

System 4 generally System 3 Reaction to Fire

6a. Harmonised standard:

EN 13279-1: 2008

Notified body/ies:

The Building Test Centre, notified body No. 1575 issued reports relating to System 3 classification requirements for reaction to fire



ob. European Assessment Document.	N/A
European Technical Assessment:	
Technical Assessment Body:	N/A
reclinical Assessment body.	N/A
Notified body/ies:	N. / A
	N/A

7. Declared performance/s:

The characteristics in the table below apply to all products mentioned in 2 above.

Essential Characteristics	Performance	Harmonised technical specification
Reaction to Fire (R2F)	A1	EN 13279-1: 2008
	0.26 W/mK (Thistle ToughCoat)	EN 13279-1: 2008
	0.30 W/mK (Thistle HardWall)	EN 13279-1: 2008
	0.39 W/mK (Thistle BondingCoat)	EN 13279-1: 2008
	0.042 m ² K/W (Thistle ToughCoat)	EN 13279-1: 2008
	0.037 m ² K/W (Thistle HardWall)	EN 13279-1: 2008
	0.037 m ² K/W (Thistle BondingCoat)	EN 13279-1: 2008
Direct airborne sound resistance	Refer to product literature	EN 13279-1: 2008

8. Appropriate Technical Documentation and / or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Mike Chaldecott, Managing Director British Gypsum

Mike Called East Leake 22/12/2017

(Signature) (Place and date of issue)



